



Bid Number/बोली क्रमांक (बिड संख्या)[:] GEM/2024/B/4747535 Dated/दिनांक : 18-03-2024

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण		
Bid End Date/Time/बिड बंद होने की तारीख/समय	28-03-2024 14:00:00	
Bid Opening Date/Time/बिड खुलने की तारीख/समय	28-03-2024 14:30:00	
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	120 (Days)	
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Education	
Department Name/विभाग का नाम	Department Of Higher Education	
Organisation Name/संगठन का नाम	Sikkim University	
Office Name/कार्यालय का नाम	Sikkim	
Total Quantity/कुल मात्रा	629	
Item Category/मद केटेगरी	Metal Beds (V2) (Q3), Steel Tables as per IS 8126 (Q3), Steel Clothes Lockers (Version 2) as per IS 3314 (Q3), Classroom Chairs (Q3), Restaurant Chair (Q3), Restaurant Table (Q3), Revolving Chair (V3) (Q2), Chair Office (V2) (Q3), Centre Table (Q3), Sofas (V2) (Q3), Executive Computer Table (Q3), Meeting Table (V2) (Q3), Executive Table (V2) (Q3)	
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	200 Lakh (s)	
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	200 Lakh (s)	
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)	
MSE Exemption for Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes	
Startup Exemption for Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes	

Bid D	Petails/बिड विवरण	
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria, Past Performance, Bidder Turnover, Certificate (Requested in ATC), OEM Authorization Certificate, OEM Annual Turnover, Additional Doc 1 (Requested in ATC), Additional Doc 2 (Requested in ATC), Additional Doc 3 (Requested in ATC), Additional Doc 4 (Requested in ATC), Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer	
Past Performance/विगत प्रदर्शन	80 %	
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No	
Type of Bid/बिंड का प्रकार	Two Packet Bid	
Primary product category	Metal Beds (V2)	
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days	
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No	
Estimated Bid Value/अनुमानित बिड मूल्य	5286025.74	
Evaluation Method/मूल्यांकन पद्धति	Group wise evaluation	

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	AXIS BANK LTD
ePBG Percentage(%)/ईपीबीजी प्रतिशत (%)	3.00
Duration of ePBG required (Months)/ईपीबीजी की अपेक्षित अवधि (महीने).	14

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

Registrar I/C

Sikkim University, 6th Mile Samdur, P.O. Tadong, Gangtok, Sikkim - 737102. (Laxuman Sharma)

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--------------------------------------------	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes

- 1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
- 2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
- 3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- 4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
- 5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- 6. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The

buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

- 7. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer)of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023 OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. 8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
- 9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Evaluation Method (Group Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Estimate d Value	Item/Category	Consignee/Repor ting Officer	Consignee Address	Qua ntity
		Metal Beds (v2)	Lalit Bahadur Gurung	Upper Yangang, South Sikkim 737139	110
		Steel Tables As Per Is 8126	Lalit Bahadur Gurung	Upper Yangang, South Sikkim 737139	110
Hostel	4124443.	Steel Clothes Lockers (version 2) As Per Is 3314	Lalit Bahadur Gurung	Upper Yangang, South Sikkim 737139	55
Furniture	iture 74	Restaurant Chair	Lalit Bahadur Gurung	Upper Yangang, South Sikkim 737139	78
		Restaurant Table	Lalit Bahadur Gurung	Upper Yangang, South Sikkim 737139	13
		Restaurant Chair	Lalit Bahadur Gurung	Upper Yangang, South Sikkim 737139	110
		Classroom Chairs	Lalit Bahadur Gurung	Upper Yangang, South Sikkim 737139	50
		Revolving Chair (v3)	Lalit Bahadur Gurung	Upper Yangang, South Sikkim 737139	2

	ffice urniture	885552	Chair Office (v2)	Lalit Bahadur Gurung	Upper Yangang, South Sikkim 737139	66
			Centre Table	Lalit Bahadur Gurung	Upper Yangang, South Sikkim 737139	2
			Sofas (v2)	Lalit Bahadur Gurung	Upper Yangang, South Sikkim 737139	2
			Executive Table (v2)	Lalit Bahadur Gurung	Upper Yangang, South Sikkim 737139	1
			Executive Computer Table	Lalit Bahadur Gurung	Upper Yangang, South Sikkim 737139	10
- 11	brary urniture	276030	Revolving Chair (v3)	Lalit Bahadur Gurung	Upper Yangang, South Sikkim 737139	10
			Meeting Table (v2)	Lalit Bahadur Gurung	Upper Yangang, South Sikkim 737139	10

Metal Beds (V2) (110 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
GENERIC	Structure of Metal bed frame including legs and head Structure	MS Hollow Rectangular / Square Section	
MATERIAL	Size of Rectangular Hollow section ±1(mm)	50 mm X 25 mm	
	Size of Square Hollow Section ±1(mm)	25 mm X 25 mm	
	Size of Circular Hollow Sections ±1(mm)	N.A	
	Thickness of Hollow Section in Structure (mm)	1.2 mm	
	Support Panel for placement of mattresses	MS hollow box Square Section	
	Thickness of support Panel (in mm)	1.0 mm	
DIMENSION	Over all length of Bed in mm (±10 mm)	2050	
	Height of Bed in mm (±10 mm)	700.0 (millimeter)	
COLOUR & FINISH	Paint /Finish of MS Parts	Powder Coating	

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Min Powder/paint coating thickness (Micron)	50 micron
WARRANTY	Warranty	1 Year
MISC	Number of support members	4

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Lalit Bahadur Gurung	737139,Upper Yangang, South Sikkim	110	15

Steel Tables As Per IS 8126 (110 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Storage	one side
	Total Number of Storage Units	single storage
	Table Top Material and Thickness (+/-2 mm)	18 mm thick prelaminated Particle Board (Not as per IS 8126)
	Padestal (Under structure)	Mild Steel Square Section of outside side minimum 25 mm and wall thickness minimum 1.2 mm
	Table Top Length +/- 10(mm)	900.0 (millimeter)
	Table Top Width +/-10(mm)	600.0 (millimeter)
	Table Height +/-5(mm)	760.0 (millimeter)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
MATERIAL	Storage Unit and Drawer Units Material	0.6 mm M S Sheet (Not as per IS 8126)
DIMENSION	Depth of Storage Unit +/- 10(mm)	600.0 (millimeter)
	Width of Locker / Cupboard type Storage unit	350 mm
	Depth of Locker / Cupboard type Storage unit	600 mm
CERTIFICATION ISI Marked		No
	Test reports to be furnished to buyer on demand	YES
	BIFMA certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007/ISO 45001:2018 certified	YES
	Green guard certification	NO
WARRANTY	Warranty in number of years	

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Lalit Bahadur Gurung	737139,Upper Yangang, South Sikkim	110	15

Steel Clothes Lockers (Version 2) As Per IS 3314 (55 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Type of Steel Clothes Lockers	6 - Locker type
	Locking arrangement (with duplicate Key)	Internal locking arrangement (for 6 and 8 locker type)
	Assembly type	Screwing
MATERIAL	Steel sheet material (Hint: For component manufacturing)	Cold reduced carbon steel sheet conforming to CR0 grade of IS 513:2016 (with latest amendment)
	Handle of each door made up of	Painted mild steel
	Hanging rod made up of	No Hanging rod
COLOUR AND FINISH	Finish	Finish coat with enamels conforming to IS 151(latest)
	Colour of finish	Off White
TESTING AND CERTIFICATION	Availability of test report from NABL /ILAC accredited or Central Government Lab to prove conformity of products to the specification	No
	Test reports to be furnished to buyer on demand, if claimed to be available	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Lalit Bahadur Gurung	737139,Upper Yangang, South Sikkim	55	15

Classroom Chairs (50 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Chair Type	One Arm with fixed Writing pad on one side other side open
	Type of Seat and Backrest	Made of polypropelene.
Backrest Details	Density of Cusion Used in Backrest (Kg/Cubic Metre)	No Cushion
	Thickness of Cushion in Backrest in mm (+/- 2 mm)	No Cushion
	Material of Fabric of Backrest Cover	No ciushion no cover
SUPPORT / UNDER STRUCTURE	Frame Material	Mild Steel Pipe of diameter 25 mm and wall thickness 1.1 mm minimum
Writing Pad Details	Writing Pad Material	18 mm thick pre-laminated particle board with 2 mm injection moulded polypropylene allaround.
Warranty	Warranty period in number of years	1
Certification	Product having BIFMA certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007/ 45001:2018 certified	YES

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Lalit Bahadur Gurung	737139,Upper Yangang, South Sikkim	50	15

Restaurant Chair (78 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अईता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
GENERIC	Chair Armrest	Without	
	Type of seat	Plastic moulded	
	Seat Cushion	Without	
	Back Rest Cushion	Without	
	Upholstery	N.A	
MATERIAL	Material of frame	SS 202	
DIMENSION Chair height (overall) ±10mm		845mm	
	Backrest width ±10mm	516	
	Width of seat ±10mm	525	
	Depth of seat in mm (+/- 10 mm)	525	
	Height of seat in mm (+/- 5 mm)	450	
COLOUR & FINISH	Seat Finish	Injection moulded high impact strength polypropylene polymer compound with indoor grade UV resistance	
	Exposed Wooden / Metal Parts Finish	Powder Coated	
WARRANTY	Warrantee period in number of years	1, 2, 3, 4, 5 Or higher	

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Lalit Bahadur Gurung	737139,Upper Yangang, South Sikkim	78	15

Restaurant Table (13 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
GENERIC	Shape of Table	Rectangular	
	Seating Capacity	6	
MATERIAL	Material of top	Medium density fiber board	
	Material of understructure	Powder Coated MS	
	Material of top finish	Polyurethane	
DIMENSION	Length of table ±10mm (Diameter in case of Round)	1800 mm	
	Depth of table ±10mm	800 mm	
	Thickness of top in mm (+/-5%)	25 mm	
WARRATY	Warranty period in number of years	1-year	

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Lalit Bahadur Gurung	737139,Upper Yangang, South Sikkim	13	15

Revolving Chair (V3) (2 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL	Tilt mechanism	Knee tilt Synchronic mechanism
REQUIREMENT	Locking mechanism	Any position Locking
	Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation	Adjustable (up and down)
	Backrest type	Tilting type
MATERIAL AND	Pedestal Base	Chrome
MATERIAL THICKNESS	Armrest Material	PU molded over metal insert
	Minimum density of foam used in seat	30 kg per cubic meter
	Minimum thickness of PU foam used in seat	30 mm
	Seat upholstery material	Leatherette
	Backrest base frame material	Hot pressed plywood
	Padding at backrest	PU foam
	The minimum density of foam used in the backrest	30 kg per cubic meter
	Minimum thickness of PU foam used in backrest	30 mm
	Backrest upholstery material	Leatherette
	Upholstery material thickness /fabric substance used in seat /backrest	0.7 to 1.5 mm (for leather /leatherette)
DIMENSION	Minimum width of seat	500 mm
	Minimum depth of seat	450 mm
	Minimum width of backrest	450 mm
	Backrest height	High back (551 and above)
	Minimum thickness of MS Plate Joining the understructure with Seat	2 mm
	Minimum pedestal size (diameter)	650 mm
COLOUR AND FINISH	Upholstered material seat color	Black
	Upholstered material backrest color	Black

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Lalit Bahadur Gurung	737139,Upper Yangang, South Sikkim	2	15

Chair Office (V2) (66 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अईता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
GENERAL	Chair Type	Non-Revolving and Non-Tilting chair without Armrest	
REQUIREMENT	Chair frame type	Cantilever	
	Armrest type	Without Armrest	
	Seat type	Padded	
	Backrest type	Padded	
CHAIR FRAME	Frame Material Configuration	One piece	
	Frame material	Steel tube (ERW quality) conforming to IS: 1161 (with latest Amendment)	
SEAT FABRICATION	Seat material	Moulded Plywood	
	Seat material thickness	40 mm	
	Density of Polyurethane foam used in seat (±2 Kg/Cub Meter)	45	
	Seat upholstered with	Fabric	
	GSM of seat cover (± 3 GSM)	220 GSM	
BACKREST			
FABRICATION			

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Density of Polyurethane foam used in Backrest (±2 Kg/Cub Meter)	45
Backrest upholstered with		Fabric
DIMENSION	Seat Depth (± 5 mm) 430 mm	
	Seat Width (± 5 mm)	480 mm
Seat height from floor surface (± 5 mm) 435 mm		435 mm
	Backrest width (± 5 mm)	490 mm
Backrest height from seat (± 5 mm)		460 mm
COLOUR AND FINISH	Paint Type	Ероху
	Polish Type	N.A
	Colour of Paint	Black
TEST REPORT AND CERTIFICATION Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove the conformity of product to the Specification Yes		Yes
	Test reports to be furnished to buyer on demand	Yes

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Lalit Bahadur Gurung	737139,Upper Yangang, South Sikkim	66	15

Centre Table (2 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
GENERIC	Number of storage under top	No storage	
MATERIAL	Top material	Medium Density Fiberboard	
	Frame material	Other wood	
DIMENSION & THICKNESS Dimension of Top (Length X Breadth, or Diameter) ±20mm 1194mmX584mm		1194mmX584mm	
		380.0 (millimeter)	
		18.0 (millimeter)	
	Thickness of frame material (+/- 1 mm)	36.0 (millimeter)	
WARRANTY	Warranty period in number of years	1	

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Lalit Bahadur Gurung	737139,Upper Yangang, South Sikkim	2	15

Sofas (V2) (2 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

|--|

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
GENERIC	Total Number of Seats in the Sofa Set	5	
	Number of Single Seater Units (Nos)	2	
	Number of Two Seater Units (Nos)	No Two Seater Unit	
	Number of Three Seater Units (Nos)		
	Number of Four Seater Units (Nos)	No Four Seater Unit	
	Frame Covering	Fully Upholstered	
	Sofa Set is Foldable to use as bed	No	
	Backrest Cushion Material	Foam	
	Density of Cushion of Backrest Material (Kg/Cubic M)		
	Covering Material for Seat and Backrest	Leatherite	
MATERIAL Frame Structure Material and size (±1 mm)		18 mm thick Teak Plywood	
	Seat Cushion Material Foam		
Density of Cushion of Seat Material ±3 (Kg/Cubic M) 35		35	
	Type of Spring in the Base / Web suspension Seating		
DIMENSION	Length of Single Seater Units in mm (±5 mm)	920	
	Length of Two Seater Units in mm (±10 mm)	N.A	
	Length of Three Seater Units in mm (±10 mm)	1750	
	Length of Four Seater Units in mm (±10 mm)	N.A	
	Depth of Sofa Units in mm (±10 mm)	850	
Sofa Height (Without Bac Cushion) ±5 (mm)		400.0 (millimeter)	
	Sofa Height (With Back Cushion) ±5 mm	765.0 (millimeter)	
Seat Cushion Length ±5 (mm) 910		910	

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Seat Cushion Width ±5 (mm)	495
	Seat Cushion Thickness ±3 (mm)	100
	Backrest Cushion Length ±5 (mm)	940
	Backrest Cushion Width ±5 (mm)	335
WARRANTY	Warranty	1 - Year

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Lalit Bahadur Gurung	737139,Upper Yangang, South Sikkim	2	15

Executive Computer Table (10 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य		
GENERIC	Type of Computer Table	Computer table with key board drawer and table top		
	Construction of Computer/Printer Table	Gable end and modesty panel		
FINISHING AND PACKING	Colour of Top	As per Buyer's Choice		
MATERIAL	Material of table top,keyboard and drawer	MDF board of grade SBG II of IS 12406/Latest		

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Gable end and Modesty panel material	Three Layer prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	Leg Material	NO LEGS
DIMENSION	Table top thickness ±2mm	15.0 (millimeter)
	Thickness of gable end and modesty panel ±2mm	15
	Dimension of leg(mmXmm) ±5mm	No legs
	Length of table in mm (±15 mm)	610.0 (millimeter)
	Depth of table in mm (±10mm)	460.0 (millimeter)
	Height of table in mm (±10mm)	685.0 (millimeter)
KEYBOARD TRAY	Type of keyboard tray	Prelaminated particle board keyboard tray
FOOTREST	Material of footrest	No footrest
	Material thickness of footrest ±2mm	No footrest
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher
CERTIFICATION	Product having BIFMA certification	NO
OEM of offered product is ISO 9001:2015 certified OEM of offered product is ISO 14001:2015 certified OEM of offered product is ISO 18001:2007/45001:2018certified		YES
		YES
		YES

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Lalit Bahadur Gurung	737139,Upper Yangang, South Sikkim	10	15

Revolving Chair (V3) (10 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

	C	B. I.B	
Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
	0,101	Value 57/3/3/5/(1 5/(4	
GENERAL REQUIREMENT	Tilt mechanism	Swivel tilt mechanism	
REQUIREMENT	Locking mechanism	Upright locking	
	Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation	Without armrests	
	Backrest type	Tilting type	
MATERIAL AND	Pedestal Base	Nylon	
MATERIAL THICKNESS	Armrest Material	No armrest	
	Minimum density of foam used in seat	30 kg per cubic meter	
	Minimum thickness of PU foam used in seat	30 mm	
	Seat upholstery material	100 % Polyester fabric	
	Backrest base frame material	Hot pressed plywood	
	Padding at backrest	PU foam	
	The minimum density of foam used in the backrest	30 kg per cubic meter	
	Minimum thickness of PU foam used in backrest	30 mm	
	Backrest upholstery material	100 % Polyester fabric	
	Upholstery material thickness /fabric substance used in seat /backrest	Minimum 200 GSM (for Woven fabric)	
DIMENSION	Minimum width of seat	450 mm	

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Minimum depth of seat	400 mm
	Minimum width of backrest	400 mm
	Backrest height Mid back (451 to 550 mm)	
	Minimum thickness of MS Plate Joining the understructure with Seat	2 mm
	Minimum pedestal size (diameter)	650 mm
COLOUR AND FINISH	H Upholstered material seat color Grey	
	Upholstered material backrest color	Grey

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Lalit Bahadur Gurung	737139,Upper Yangang, South Sikkim	10	15

Meeting Table (V2) (10 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL	The shape of table top	Rectangular
REQUIREMENT	Wire management	Without
	Number of the socket box	NA

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	In-built sockets for LAN / INTERNET	NA
	Type of understructure	Leg type
MATERIAL	Material of table top	Three layer prelaminated particle boards of grade II type II of IS:12823/latest
	Material of legs /Gable end	MS pipes with powder coated
	Material of modesty panel	Metal perforated sheet
DIMENSION	Length/Diameter/Major axis of tabletop	1800 mm
	Width/Minor axis of tabletop (select NA in case of the round table) ±10(mm)	750 mm
	Thickness of top ±2(mm)	25 mm
	Table height in mm (±5 mm)	750 mm
	Height of modesty panel ±5(mm)	NA
Thickness of modesty panel (in mm) \pm 5%		NA
	Thickness of Gable end	NA
	Size/Diameter of legs (± 0[dot]5 mm)	50 mm
	Thickness of legs material	1.6 mm
COLOUR AND FINISH	Type of table top finish	Lamination
	The thickness of the table top finish	2.0 mm
	Type of Leg(s) /gable end finish	As per buyer's choice
	The thickness of the leg(s) /gable end finish	NA
	Type of modesty panel finish	No finish
The thickness of the modesty panel finish		NA
	Colour	Frosty white
	Packing	Corrugated paper packing
WARRANTY	Warranty period	1 Year
CERTIFICATION	Test reports to be furnished to buyer on demand	Yes

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Lalit Bahadur Gurung	737139,Upper Yangang, South Sikkim	10	15

Executive Table (V2) (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अईता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Structure /Frame of table	Gable end and modesty panel
	The type of Storage provided	One side E.R.U unit
	Keyboard tray	Not provided
	Footrest	Not Provided
MATERIAL	Tabletop Material	Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Lates
	Thickness of table top material (± 1 mm)	25 mm
	Gable end material	Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the gable end	18 mm
	Modesty panel material	Three Layer Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the modesty panel material	18 mm
	Leg Material	NA
	The thickness of the Leg material	NA
DIMENSION	Width of tabletop ±10 mm	1500 mm

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Depth of table ±10 mm 750 mm	
	Height of table ±10 mm	750 mm
	Size (L x W) /diameter of leg material ± 5 mm	25 x 25 (mm)
EXTENDED RETURN UNIT	ERU unit consists of	1 drawer
PEDESTAL UNIT	Total Number of drawers /storage in Pedestal units	Three drawers
COLOUR AND FINISH	Table top finish	Laminate in color with swede finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side
	Tabletop shade	Peach
	Table /ERU /Pedestal Panel Plain Side	NA
WARRANTY	Warranty period	1 Year
CERTIFICATION	Test reports to be furnished to the buyer on demand	No

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Lalit Bahadur Gurung	737139,Upper Yangang, South Sikkim	1	15

Restaurant Chair (110 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
GENERIC	Chair Armrest	Without	
	Type of seat	Plastic moulded	
	Seat Cushion	Without	
	Back Rest Cushion	Without	
	Upholstery	N.A	
MATERIAL	Material of frame	MS Powder Coated	
DIMENSION Chair height (overall) ±10mm		820mm	
	Backrest width ±10mm	450	
	Width of seat ±10mm	425	
	Depth of seat in mm (+/- 10 mm)	500	
	Height of seat in mm (+/- 5 mm)	450	
COLOUR & FINISH	Seat Finish	Injection moulded high impact strength polypropylene polymer compound with indoor grade UV resistance	
	Exposed Wooden / Metal Parts Finish	Powder Coated	
WARRANTY	Warrantee period in number of years	1, 2, 3, 4, 5 Or higher	

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Lalit Bahadur Gurung	737139,Upper Yangang, South Sikkim	110	15

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Generic

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

Sikkim University Yangang Campus Upper Yangang South Sikkim Sikkim - 737139

3. Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

4. Generic

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 5 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

5. Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

6. Generic

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

7. Generic

Installation, Commissioning, Testing, Configuration, Training (if any - which ever is applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorised Reseller.

8. Generic

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

9. Generic

- 1. The Seller shall not assign the Contract in whole or part without obtaining the prior written consent of buyer.
- 2. The Seller shall not sub-contract the Contract in whole or part to any entity without obtaining the prior written consent of buyer.
- 3. The Seller shall, notwithstanding the consent and assignment/sub-contract, remain jointly and severally liable and responsible to buyer together with the assignee/ sub-contractor, for and in respect of the due performance of the Contract and the Sellers obligations there under.

10. Generic

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

11. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Payment online through RTGS / internet banking also (besides PBG which is allowed as per GeM GTC). On-line payment shall be in Beneficiary name

SIKKIM UNIVERSITY
Account No.
112010100231541
IFSC Code
UTIB0000112
Bank Name
Axis Bank
Branch address
M G Marg, Gangtok, Sikkim

. Successful Bidder to indicate Contract number and name of Seller entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer in place of PBG within 15 days of award of contract.

12. Scope of Supply

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

13. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

14. Turnover

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

15. Turnover

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of

CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

16. Service & Support

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

17. Service & Support

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

18. Warranty

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

19. Past Project Experience

Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.

20. Past Project Experience

The Bidder / OEM {themselves or through reseller(s)}, should have executed project for supply and installation / commissioning of same or similar Category Products during preceding 3 financial years (i.e. current year and three previous financial years) as on opening of bid, as per following criteria:

- (i) Single order of at least 35% of estimated bid value; or
- (ii) Two orders of at least 20% each of estimated bid value; or
- (iii) Three orders of at least 15% each of estimated bid value.

Satisfactory Performance certificate issued by respective Buyer Organization for the above Orders should be uploaded with bid. In case of bunch bids, the Category related to primary product having highest bid value should meet this criterion

21. Buyer Added Bid Specific ATC

Buyer uploaded ATC document Click here to view the file.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process.
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---